Sistemi in tempo reale
Anno accademico 2009 - 2010

Macchine a stati finiti

Giuseppe Lipari
http://retis.sssup.it/~lipari

Scuola Superiore Sant'Anna

Outline

Introduction

State machines are basic building blocks for computing theory.

- very important in theoretical computer science
- many applications in practical systems
- There are many slightly different definitions, depending on the application area
- A state machine is a Discrete Event Discrete State system
  - transitions from one state to another only happen on specific events
  - events do not need to occur at specific times
  - we only need a temporal order between events (events occur one after the other), not the exact time at which they occur

Definition

A deterministic finite state machine (DFSM) is a 5-tuple:

- S (finite) set of states
- I set of possible input symbols (also called input alphabet)
- s_0 initial state
- ϕ transitions: a function from (state,input) to a new state

$$\phi : S \times I \rightarrow S$$

- ω output function (see later)

An event is a new input symbol presented to the machine.

- In response, the machine will react by updating its state and possibly producing an output. This reaction is istantaneous (synchronous assumption).

Outline

Output function

Two types of machines:

Moore output only depends on state:

$$\omega_{mr} : S \to \Omega$$

Where Ω is the set of output symbols. In this case, the output only depends on the state, and it is produced upon entrance on a new state.

Mealy output depends on state and input:

$$\omega_{ml} : S \times I \to \Omega$$

In this case, the output is produced upon occurrence of a certain transaction.

Moore machines

- Moore machines are the simplest ones
- If $\Omega = \{\text{yes}, \text{no}\}$, the machine is a recognizer
- A recognizer is able to accept or reject sequences of input symbols
- The set of sequences accepted by a recognizer is a regular language

Outline

State diagrams

- FSM can be represented by State Diagrams

- final states are identified by a double circle

Outline

Example: recognizer

- In this example $I = \{a, b\}$. The following state machine recognizes string *aba*



Example: recognizer II

- Recognize string $a^n b^m$ with n even and m odd (i.e. *aabbb*, *b*, *aab* are all legal sequences, while *a*, *aabb*, are non legal)



- S4 is an error state. It is not possible to go out from an error state (for every input, no transaction out of the state)
- S2 is an accepting state, however we do not know the length of the input string, so it is possible to exit from the accepting state if the input continues
- If we want to present a new string we have to reset the machine to its initial state

Non regular language

- FSM are not so powerful. They can only recognize simple languages
- Example:
  - strings of the form $a^n b^n$ for all $n \geq 0$ cannot be recognized by a FSM (because they only have a finite number of states)
  - they could if we put a limit on n. For example, $0 \leq n \leq 10$.

Outline

Mealy machines

- In Mealy machines, output is related to both state and input.
- In practice, output can be associated to a transition
- Given the synchronous assumption, the Moore's model is equivalent to the Mealy's model: for every Moore machine, it is possible to derive an equivalent Mealy machine, and viceversa

Example: parity check

- In this example, we have a Mealy machine that
  - outputs 1 if the number of symbols 1 in input so far is odd;
  - it outputs 0 otherwise.



- Usually, Mealy machines have a more compact representation than Moore machines (i.e. they perform the same task with a number of states that is no less than the equivalent Moore machine).

Table representation

- A FSM can be represented through a table
- The table shown below corresponds to the parity-check Mealy FSM shown just before.

	0	1
S_0	S_0 / 0	S_1 / 1
S_1	S_1 / 1	S_0 / 0

Stuttering symbol

- Input and output alphabets include the absent symbol ϵ
- It correspond to a null input or output
- When the input is absent, the state remains the same, and the output is absent
- Any sequence of inputs can be interleaved or extended with an arbitrary number of absent symbols without changing the behavior of the machine
- the absent symbol is also called the stuttering symbol

Abbreviations

- If no guard is specified for a transition, the transition is taken for every possible input (except the absent symbol ϵ)
- If no output is specified for a transition, the output is ϵ
- given a state S_0, if a symbol α is not used as guard of any transition going out of S_0, then an implicit transition from S_0 to itself is defined with α as guard and ϵ as output





Outline

Exercise

- Draw the state diagram of a FSM with $I = \{0, 1\}$, $\Omega = \{0, 1\}$, with the following specification:
  - let $x(k)$ be the sequence of inputs
  - the output $\omega(k) = 1$ iff $x(k-2) = x(k-1) = x(k) = 1$

Solution

- three states: $S0$ is the initial state, $S1$ if last input was 1, $S2$ if last two inputs were 1



Outline

Deterministic machines

- Transitions are associated with
  - a source state
  - a guard (i.e. a input value)
  - a destination state
  - a output
- in deterministic FSM, a transition is uniquely identified by the first two.
- in other words, given a source state and a input, the destination and the output are uniquely defined

Non deterministic FSMs

- A non deterministic finite state machine is identified by a 5-tuple:

  I set of input symbols
  Ω set of output symbols
  S set of states
  S_0 set of initial states
  ϕ transition function:

  $$\phi : S \times I \rightarrow (S \times \Omega)^*$$

  where S^* denotes the power set of S, i.e. the set of all possible subsets of S.

- In other words, given a state and an input, the transition returns a set of possible pairs (new state, output).

Non determinism

- Non determinism is used in many cases:
  - to model randomness
  - to build more compact automata

Non determinism

- Non determinism is used in many cases:
  - to model randomness
  - to build more compact automata
- Randomness is when there is more than one possible behaviour and the system follows one specific behavior at random

Non determinism

- Non determinism is used in many cases:
  - to model randomness
  - to build more compact automata
- Randomness is when there is more than one possible behaviour and the system follows one specific behavior at random
- Randomness has nothing to do with probability! we do not know the probability of occurrence of every behavior, we only know that they are possible

Non determinism

- Non determinism is used in many cases:
  - to model randomness
  - to build more compact automata
- Randomness is when there is more than one possible behaviour and the system follows one specific behavior at random
- Randomness has nothing to do with probability! we do not know the probability of occurrence of every behavior, we only know that they are possible
- A more abstract model of a system hides *unnecessary* details, and it is more compact (less states)

Example of non deterministic state machine

- We now build an automata to recognize all input strings (of any lenght) that end with a `01`



Equivalence between D-FSM and N-FSM

- It is possible to show that Deterministic FSMs (D-FSMs) are equivalent to non deterministic ones(N-FSMs)
- Proof sketch
  - Given a N-FSM $\mathcal{A}$, we build an equivalent D-FSM $\mathcal{B}$ (i.e. that recognizes the same strings recognized by the N-FSM. For every subset of states of the $\mathcal{A}$, we make a state of $\mathcal{B}$. Therefore, the maximum number of states of $\mathcal{B}$ is $2^{|S|}$. The start state of $\mathcal{B}$ is the one corresponding to the $\mathcal{A}$. For every subset of states that are reachable from the start state of state of $\mathcal{A}$ with a certain symbol, we make one transition in $\mathcal{B}$ to the state corresponding to the sub-set. The procedure is iterated until all transitions have been covered.

Outline

Exercise

- As an exercise, build the D-FSM equivalent to the previous example of N-FSM



Figure: The N-FSM

Solution



Figure: The N-FSM

- Initial state: $\{S0\}$

state name	subset	0	1
q0	{S0}	{S0, S1}	{S0}
q1	{S0,S1}	{S0, S1}	{S0, S2}
q2	{S0,S2}	{S0, S1}	{S0}

Solution



Figure: The equivalent D-FSM

Outline

Problems with FSMs

- FSM are *flat* and *global*
- All states stay on the same level, and a transition can go from one state to another
  - It is not possible to *group* states and transitions
- Replicated transition problem:



Product of two FSM

- Another problem is related to the cartesian product of two FSM
  - Suppose we have two distinct FSMs that we want to combine into a single one



Figure: FSM 1



Figure: FSM 2

Product result

- The result is a state machine FSM 3 where each state corresponds to a pair of state of the original machine
- Also, each transition in FSM 3 corresponds to one transition in either of the two original state machines



Complexity handling

- All these problems have to do with *complexity* of dealing with states
- In particular, the latter problem is very important, because we often need to combine different simple state machines
- However, the resulting diagram (or table specification) can become very large
- We need a different specification mechanism to deal with such complexity
- In this course, we will study Statecharts (similar to Matlab StateFlow), first proposed by Harel

Outline

States

- In H-FSMs, a state can be final or composite



State specification

- A state consist of:
  - An *entry* action, executed once when the system enters the state
  - An *exit* action, executed once before leaving the state
  - A *do* action, executed *while* in the state (the semantic is not very clear)
- They are all optional



Figure: Entry, exit and do behaviors

Transitions

- A transition can have:
  - A *triggering event*, which activates the transition
  - A *guard*, a boolean expression that *enables* the transition. If not specified, the transition is always enabled
  - An *action* to be performed if the transition is activated and enabled, just after the exit operation of the leaving state, and before the entry operation of the entering state
- Only the triggering event specification is mandatory, the other two are optional



Figure: Transition, with event, guard and action specified

Or composition

- A state can be decomposed into substates
- When the machine enters state *Composite*, it goes into state *Comp1*
- Then, if event *e2* it goes in *Comp2*, if event *e3* it goes in *Comp3*, else if event *e4* it exits from *Composite*.



Figure: A composite state

History

- When the machine exits from a composite state, normally it *forgets* in which states it was, and when it enters again, it starts from the starting state
- To “remember” the state, so that when entering again it will go in the same state it had before exiting, we must use the *history* symbol



Figure: Example of history

AND decomposition

- A state can be decomposed in orthogonal regions, each one contains a different sub-machine
- When entering the state, the machine goes into one substate for each sub-machine



Figure: Orthogonal states for a keyboard

Outline

Elevator

- Let's define an "intelligent" elevator
  - For a 5-stores building (ground floor, and four additional floors)
  - Users can "reserve" the elevator
  - The elevator serves all people in order of reservation
- We assume at most one user (or group of users) per each "trip", and they all need to go to the same floor

Design considerations

- How do you encode at which floor the elevator is?
  1. One different state per each floor
     - Does not scale well; for 100 floors bulding, we need 100 states!
  2. The floor is encoded as an *extended* state, i.e. a variable `cf`
     - It scales, but more difficult to design
  3. It always depends on what we want to describe!
- Which events do we have?
  - An user press a button to “reserve” the elevator, setting variable `rf`
  - An user inside the elevator presses the button to change floor, setting variable `df`

First design



Outline

Doors

- The previous design does not capture all aspects of our systems
- Let's start to add details by adding the description of how the doors behave
- Abstraction level
  - The level of details of a design depends on what the designer is more interested in describing with the specification
  - In the previous design, we were not interested in describing all aspects, but only on giving a few high-level details
  - The design can be refined by adding details when needed

The doors submachine



The elevator, second design



Putting everything together