

On Functions and their Evaluation

Luca Abeni

`luca.abeni@santannapisa.it`

Function Application, Again

- Application of function “ f ” to actual parameter “ x ”
 - Notice: 1 single argument... And this is not a restriction! Why?
- In C-like languages, we are used to “ $f(x);$ ”, but...
 - Are the parentheses really needed, here?
 - In case of “ $f(x + y)$ ”, they are needed to make a distinction with “ $f(x) + y$ ”, but for “ $f(x)$ ”...
- Some languages do not require these “useless” parentheses: $f(x) \rightarrow f\ x$
- In some other languages, the parentheses go around the application: $f(x) \rightarrow (f\ x)$
 - Can you see where LISPs are coming from, now?

More Complex Expressions

- The C-style syntax for function application makes it simple to understand function composition
 - If $h = f \circ g$, then $h(x)$ is coded as $f(g(x))$!
- If parentheses are removed, then some associativity rules are needed
 - Does “ $f\ g\ h$ ” mean “ $f(g(h))$ ”, or “ $(f(g))(h)$ ”?
 - If left associativity is used, then currying has a natural syntax: “ $sum_c\ a\ b$ ” means “ $(sum_c\ a)\ b$ ”, making the usage of curried functions pretty simple!
- With parentheses around function application, we have things like “ $((sum_c\ a)\ b)$ ”

Example

- Assume that $K\ x\ y = x$ and $S\ p\ q\ r = p\ r\ (q\ r) \dots$
- What is the value of $S\ K\ K\ a$?

$S\ K\ K\ a \rightarrow$

$(p\ r\ (q\ r))$ with “p” replaced by “K”, “q” replaced by “K” and “r” replaced by “a” \rightarrow

$(K\ r\ (q\ r))$ with “q” replaced by “K” and “r” replaced by “a” \rightarrow

$(K\ r\ (K\ r))$ with “r” replaced by “a” \rightarrow

$K\ a\ (K\ a) \rightarrow$

x with “x” replaced by “a” and “(K a)” discarded \rightarrow

a

Formal Arguments and Actual Arguments

- If $f(x) = x + 1$, applying “ f ” to “2” requires to:
 - Replace “ f ” (function name) with “ $x + 1$ ” (function body)
 - Replace “ x ” (formal parameter) with “2” (actual parameter)
 - Compute the result $2 + 1 = 3$
- In C-like languages, we are used to look at function invocation in a different way:
 - Push “2” (actual parameter) on the stack
 - Call the function body (which pulls the parameter’s from the stack)
 - Different argument-passing methods

Passing Parameters by Value

- Only possible method in C
- One local variable is allocated (on the stack) when the function is called
- The local environment contains a binding between the formal parameter's name and this local variable
- The variable is automagically initialized with the value of the actual parameter

```
int f(int n)
{
    n = n + 1;

    return n * 2;
}
```

Passing Parameters by Reference

- Possible in C++
- No local variable for the formal parameter
- The local environment contains a binding between the formal parameter's name and the actual parameter
 - The actual parameter **must** be an L-Value
 - The formal parameter is an alias for the actual parameter

```
int f(int &n)
{
    n = n + 1;

    return n * 2;
}
```

Passing Pointers by Value

- “Emulation” of reference passing in C
- A pointer to the “real” actual parameter is passed by value
- First difference with parameter passing by reference: syntax
 - But there are other notable differences... For example, in this case the formal parameter is still a local variable!
 - Think about “ $n = n + 1$ ” in the example below

```
int f(int *n)
{
    *n = *n + 1;

    return *n * 2;
}
```


Passing Parameters by Name

- Seen for functional programs evaluation
 - Function name replaced by function body
 - Formal parameter replaced by actual parameter
- Not very useful for imperative languages...
 - Parameters can be evaluated every time they are used... Think about “ $x + x$ ” with actual parameter “ $i++$ ”!
- ...But good model for how FP reduction works!

Issues with Parameters by Name

```
int a = 1;

int f(int v)
{
    int a = 666;

    return a + v;
}
```

- What is $f(a)$ if the parameter is passed by name?
- `{ int a = 666; return a + a; }...` Returns 1332!
- If the name of the local variable is changed to “b”, we get `{ int b = 666; return b + a; }` and the return value is 667!
- The return value depends on the name of a local variable???

Call by Name, Again

- consider this code:

```
int infinite_recursion(int z)
{
    return infinite_recursion(z);
}
```

```
int select(int n, int x, int y)
{
    return n == 0 ? x : y;
}
```

- What happens in C++ (parameters passed by value) when calling
`select(0, 1, infinite_recursion(1))`?
- What would happen if parameters were passed by name?
 - Can you emulate pass-by-name, in this case?